



1. (original): A dye mixture comprising at least one dye of formula



together with at least one dye of formula



wherein

R_1 and R_2 are each independently of the other hydrogen or unsubstituted or substituted C_1 - C_8 alkyl, $(R_3)_{0-3}$ and $(R_4)_{0-3}$ each independently of the other denote from 0 to 3 identical or different substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, carboxy and sulfo,

D_1 and D_2 are each independently of the other the radical of a diazo component of the benzene or naphthalene series,

r and s are each independently of the other the number 0 or 1, and the sum of $r + s$ is the number 1 or 2,



Y_1 and Y_2 are each independently of the other a fibre-reactive radical of formula





wherein

X is halogen, T has independently the same definitions as X, or is a non-fibre-reactive substituent or a fibre-reactive radical of formula



(R₅)₀₋₂ denotes from 0 to 2 identical or different substituents from the group halogen, C₁-C₄-alkyl, C₁-C₄alkoxy and sulfo,


Z is vinyl or a radical -CH₂-CH₂-U and U is a group removable under alkaline conditions,

Q is a group -CH(Hal)-CH₂-Hal or -C(Hal)=CH₂,

m and n are each independently of the other the number 2, 3 or 4, and

Hal is halogen,

with at least one of the radicals Y₁ and Y₂ being a radical of formula (3f), and the dye of formula (2) not being a dye of formula



wherein

X* is fluorine and the β -sulfatoethylsulfonyl group is bonded in the 4-position, or

X* is chlorine and the β -sulfatoethylsulfonyl group is bonded in the 3-position.

2. (original): A dye mixture according to claim 1, wherein D₁ and D₂ are each independently of the other a radical of formula





wherein

(R₆)₀₋₃ denotes from 0 to 3 identical or different substituents from the group halogen, C₁-C₄-alkyl, C₁-C₄alkoxy, carboxy, nitro and sulfo, and

Y₃ is a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f) according to claim 1.

3. (currently amended): A dye mixture according to ~~either claim 1 or claim 2~~, wherein D₁ and D₂ are each independently of the other a radical of formula





wherein

(R_{6a})₀₋₂ denotes from 0 to 2 identical or different substituents from the group halogen, C₁-C₄-alkyl, C₁-C₄alkoxy and sulfo,

Y_{3a} is α,β-dibromopropionylamino or α-bromoacryloylamino,

m is the number 2 or 3,

n is the number 2 or 3, and


Z₁, Z₂, Z₃ and Z₄ are each independently of the others vinyl, β-chloroethyl or β-sulfatoethyl.

4. (currently amended): A dye mixture according to ~~any one of claims 1 to 3~~ claim 1, wherein R₁ and R₂ are hydrogen.

5. (currently amended): A dye mixture according to ~~any one of claims 1 to 4~~ claim 1, wherein R₁ and R₂ are hydrogen, D₁ is a radical of formula



D₂ is a radical of formula




(5ab),

wherein

R_{6a} and R_{6b} are each independently of the other methyl or methoxy, and

Z_{1a} and Z_{1b} are each independently of the other vinyl, β -chloroethyl or β -sulfatoethyl.

6. (currently amended): A dye mixture according to ~~any one of claims 1 to 5~~ claim 1, wherein the dye of formula (2) is a dye of formula



(2a),


wherein

$(R_3)_{0-2}$ and $(R_4)_{0-2}$ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C_1 - C_4 alkyl, C_1 - C_4 alkoxy and sulfo, and

one of the fibre-reactive radicals Y_1 and Y_2 is a radical of formula (3a), (3b), (3c), (3d) or (3e), and the other of the fibre-reactive radicals Y_1 and Y_2 is a radical of formula (3f), the meanings according to claim 1 applying for the fibre-reactive radicals of formulae (3a), (3b), (3c), (3d), (3e) and (3f).

7. (currently amended): A method of Use of a dye mixture according to any one of claims 1 to 6 in the dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye mixture according to claim 1.

8. (original): A dye of formula



(2aa),

wherein

X is halogen, and

Z₅ and Z₆ are each independently of the other vinyl or a radical -CH₂-CH₂-U and U is a group removable under alkaline conditions.

9. (currently amended): A method of Use of a dye of formula (2aa) according to claim 8 in the dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye of formula (2aa) according to claim 8.

10. (currently amended): An aqueous ink comprising a dye mixture according to claim 1 ~~or a dye according to claim 8.~~

11. (currently amended): An Use of an aqueous ink according to claim 10 in an inkjet printing method for printing hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises printing said materials with an aqueous ink according to claim 10.

12. (new): An aqueous ink comprising a dye according to claim 8.